



Approved
mu 5
11/03/95

FIG. 23



Approved
M.A.
11/03/95


FIG. 41B



Approved
M.A.
11/03/95


M.A.
11/03/95

FIG. 49B




Approved
MKT
11/03/95

FIG. 50A




Approved
Rmt
11/03/95

FIG. 50B




Approved
JmF
11/03/95

FIG. 52B



Approved
RMT
11/03/95


FIG. 53



Approved
MKT
11/03/95

MKT
11/03/96

FIG. 54A



1103/196

```

graph TD
    A((A)) --> S408[S408 START REDUCTION OPERATION OF LIGHT ACCUMULATION TIME]
    S408 --> S409{S409 EXPOSURE EXCESS AMOUNT INCREASES?}
    S409 -- YES --> S408
    S409 -- NO --> S410{S410 SUITABLE EXPOSURE AMOUNT?}
    S410 -- YES --> S411{S411 EXPOSURE AMOUNT EXCEEDS?}
    S411 -- YES --> S408
    S411 -- NO --> S412[S412 START EXPANSION OPERATION OF LIGHT ACCUMULATION TIME]
    S410 -- NO --> S412
    S412 --> S413{S413 MORE THAN STANDARD STATE?}
    S413 -- YES --> C((C))
    S413 -- NO --> S409
    B((B)) --> S417[S417 START EXPANSION OPERATION OF LIGHT ACCUMULATION TIME]
    S417 --> S418{S418 EXPOSURE SHORTAGE AMOUNT INCREASES?}
    S418 -- YES --> S419{S419 MORE THAN LIMIT?}
    S419 -- YES --> S423{S423 EXPOSURE AMOUNT LACKS?}
    S423 -- YES --> S424[S424 FIX LIGHT ACCUMULATION TIME AT LIMIT VALUE]
    S419 -- NO --> S420{S420 SUITABLE EXPOSURE AMOUNT?}
    S420 -- YES --> S421[S421 START REDUCTION OPERATION OF LIGHT ACCUMULATION TIME]
    S420 -- NO --> S422{S422 LESS THAN STANDARD STATE?}
    S421 --> S422
    S422 -- YES --> C
    S422 -- NO --> S418
    S424 --> S417
    S418 --> S417
  
```